

Uni-Vac (V-30)



Vacuum Conveying System

The <u>Uni-Vac</u> vacuum conveying system from **Hanningfield Process Systems** provides a safe, practical and dust-free method of conveying powder, granules and flakes without waste. {xtypo_info}The **Uni-Vac V-30** is a Hanningfield vacuum conveyor with a capacity of 30 litres and a throughput up to 2000 kgs/hr.{/xtypo_info}

<u>Vacuum conveying</u> provides cost-effective automation that improves production, reduces contamination and creates a clean and safer working environment. Powder spillage, airborne dust and the common problems associated with manual feeding are eliminated.

The conveyor is designed for applications with fairly standard industry requirements. The

handling of heavy drums, kegs, bags, etc. are all eliminated by using a **Uni-Vac** system.

<u>Vacuum conveying</u> systems are the perfect solution for the <u>transfer of powder</u> in the pharmaceutical, food, chemical and allied industries. Through conveying, a process can take advantage of improved output and a cleaner, safer working environment. {faq inline/tabs}

Profile The Uni-Vac V-30 is is the Hanningfield value offers many advantages Usis Mac an easy clean is connected that internal surfaces are crack and crevice free, the surface finish is to customer requirements. All connected that is designed and manufaktameing field Process Systems

Features

•Easy clean design

- •Hygienic crevice free
- •Stainless steel construction (304 or 316)
- •No tools required for disassembly
- Remotely located controls
- •Flexible modular design
- •Mobile or static versions available

Benefits •High return on investment through increased productivity and lower productivity

- Improved working environment
- •Increased output and efficiency through automation
- •Improved dust free environment through containment
- Minimal risk of contamination
- •Reduces product loss
- Increased process safety
- Reduced operator fatigue
- •Easy to clean design for minimal operational downtime

Technical SpecificationsThroughput: Up to 2000 kgs/hr

Volume: 100 litres

• Material of Constructio6 tainless steel (304 or 316)

Height: 1700mm
 Diameter: 450mm

Pick-Up Method: Vacuum wand, IBC, sacktip station, feedbin, big bag, e
 Controls: Control panel can be attached or remotely located

Version: Mobile or static versions available
 Explosion Protection: ATEX or Non-ATEX version available

Typical Applications •Unloading storage containers (IBCs, big bags etc.)

- Fluid bed dryer unloading
- Mixer loading
- IBC loading
- •Conveying powder through a conical screen mill for in-line milling
- •Conveying to a tablet compression machine
- ·Conveying to a capsule filling machine

Gallery

{gallery}univac30{/gallery}

{/faq}

{faq inline/sliders}

What is□

Vacuum Powder

Conveying?



Vacuum Conveying , also known as

Pneumatic Powder Consequing hod of transferring pov

Benefits of Vacuum Contraying ico Phaying ice attended to Phaying ice attended of transfer

For example, powder can be sucked directly from an IBC, into the conveyor, and then transferred from t **Vacuum** Conveying: Correlusions (pneumatic) transfer of powder is perfectly suited to the pharm

{/faq}

Download Brochure:

{xtypo_download} __\
\text{Vacuum Conveying Systems (Uni-Vac Series)} {/xtypo_download} _\
\text{Xtypo_download} __\
\text{Vacuum Conveying {/xtypo_download}}

