



Bin Blending



Uni-Hoist Lift Systems

{xtypo_info}The Hanningfield [Uni-Hoist](#) Lift Systems can be used to perform blending through the rotating of a bin. {/xtypo_info}

This provides a simple, cost effective solution to the blending of powders for the pharmaceutical, food and associated industries.

The compact and versatile design makes it the ideal solution to process equipment and materials handling problems. It has been specially designed for use in areas where space is restricted.

Because every application is different, we can design and custom build to customers' exact requirements.

{faq inline/tabs}

Profile

Bin blending is becoming evermore popular to fulfil the high productivity of general purpose and single blending is that the hoist can perform its function.

Manufacture is to cGMP standards in all stainless steel which ensures that it is low maintenance, hygienic. The Uni-Hoist bin blender is designed and manufactured to Hanningfield Process

Features

- Stainless steel construction
- Non-hydraulic lifting mechanism
- Fail safe design to protect operator and equipment in case of breakdown
- Custom designs available
- Variable speed controls for maximum operational control

Benefits

- Can be used to blend continuously, simply by switching bins
- Increased productivity
- Increases hygiene and safety
- Easy clean design for minimum operational downtime

Technical Specifications

Material of Construction

- **Lifting Capacity:** 600 kgs
- **Bin Type:** Round or Square Bins available
- **Explosion Protection:** ATEX or Non-ATEX version available

Typical Applications

- Blending of powders for pharmaceutical processes
- Blending of powders for food processing

Gallery

{gallery}unihoist{/gallery}

{/faq}

Download Brochure:

{xtype_download} 

[Materials Handling \(Hanningfield Uni-Hoist Lift Systems\)](#) {/xtype_download}

